EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("20020053017").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/25 20:00
S2	0	(multiple near4 (ALU$1 or (arithmetic adj1 logic adj1 unit$1))) near4 (shift$3 near4 (destination adj1 register$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/18 13:04
S3	3	((ALU$1 or (arithmetic adj1 logic adj1 unit$1))) near4 (shift$3 near4 (destination adj1 register$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/18 13:13
S4	0	((multiple or plurality) near4 (ALU$1 or (arithmetic adj1 logic adj1 unit$1))) near4 (shift$3 near4 (destination adj1 register$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/18 13:14
S5	22	((multiple or plurality) near4 (ALU$1 or (arithmetic adj1 logic adj1 unit$1))) near4 (shift$3 near4 instruction$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/18 13:15
S6	1	("4992934").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/18 13:47
S7	3641	shift adj1 mask	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/18 13:47
S8	1	(shift adj1 mask) near4 ("4"?bit$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/18 13:49
S9	53	(shift near4 mask) near4 byte$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/18 13:52
S10	1	(shift adj1 instruction$1) near4 mask near4 byte$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/18 14:03
S11	0	(shift adj1 instruction$1) near4 multi?thread$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/18 14:03

S12	1	multi?thread$3 near4 (shift$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/18 14:04
S13	0	multi?thread$3 near4 ALU	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/18 14:19
S14	0	multi?thread$3 near4 ((multiple or plurality) near4 (ALU$1 or (arithmetic adj1 logic adj1 unit$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/18 14:20
S15	376	(712/200).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/22 09:30
S16	139	(712/224).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/22 09:30
S17	238	(712/22).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/22 09:30
S18	378	(712/200).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 15:47
S19	141	(712/224).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 15:47
S20	251	(712/22).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 15:47
S21	0	(micro?engines) near4 (context adj1 event$1) near4 (controller$1) near4 (control adj1 stor$4) near4 (transfer adj1 register$1) near4 (register$1) near4 (ALU$1 or (arithmetic adj1 logic adj1 unit$1) or execution$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 16:00
S22	0	(micro?engines) same (context adj1 event$1) same (controller$1) same (control adj1 stor$4) same (transfer adj1 register$1) same (register$1) same (ALU$1 or (arithmetic adj1 logic adj1 unit$1) or execution$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 16:00

EAST Search History

S23	0	(context adj1 event$1) same (controller$1) same (control adj1 stor$4) same (transfer adj1 register$1) same (register$1) same (ALU$1 or (arithmetic adj1 logic adj1 unit$1) or execution$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 16:00
S24	35	(context adj1 event$1) and (controller$1) and (control adj1 stor$4) and (transfer adj1 register$1) and (register$1) and (ALU$1 or (arithmetic adj1 logic adj1 unit$1) or execution$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 16:06
S25	17	(context adj1 event$1) and (controller$1) and (control adj1 stor$4) and (transfer adj1 register$1) and (register$1) and (ALU$1 or (arithmetic adj1 logic adj1 unit$1) or execution$1) and (shift$3 near4 (operand$1 or data or result$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 16:08
S26	1	("20020053017").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/28 15:44
S27	24	(multi?thread$3) near4 (SMP or (symmetric adj1 multi?process$3) or (cluster$3 near4 (comput$3 or process$3)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/30 08:18
S28	37	(multi?thread$3) with (SMP or (symmetric adj1 multi?process$3) or (cluster$3 near4 (comput$3 or process$3)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/30 08:18
S29	53	(multi?thread$3) same (SMP or (symmetric adj1 multi?process$3) or (cluster$3 near4 (comput$3 or process$3)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/30 08:18
S30	386	(712/200).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/21 16:39
S31	147	(712/224).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/21 16:39
S32	266	(712/22).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/21 16:40

EAST Search History

S33	107	(instruction$1) near4 (mask) near4 (specif$4 or declar$3 or target$4) near4 (bit$1 or byte$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/21 16:40
S34	104	(instruction$1) near4 (mask) near4 (specif$4) near4 (bit$1 or byte$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/21 16:40
S35	6	(instruction$1) near4 (mask) near4 ((specif$4) adj1 (bit$1 or byte$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/21 16:42
S36	34	(instruction$1) with ((mask) near4 ((specif$4) adj1 (bit$1 or byte$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/22 11:56
S37	1	(instruction$1) with ((mask) near4 (destin$5 adj1 (bit$1 or byte$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/22 12:08
S38	1	(instruction$1) with ((mask) with (destin$5 adj1 (bit$1 or byte$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/22 12:08
S39	6	(instruction$1) same ((mask) with (destin$5 adj1 (bit$1 or byte$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/22 12:09
S40	11	(instruction$1) same ((mask) same (destin$5 adj1 (bit$1 or byte$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/22 12:09
S41	318	(bit$1 or byte$1) near4 insert$3 near4 instruction$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/22 13:54
S42	1	(bit$1 or byte$1) near4 insert$3 near4 instruction$1 near4 (destination$1 adj1 register$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/22 13:56
S43	8	(bit$1 or byte$1) near4 insert$3 near4 instruction$1 near4 destination$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/22 13:57
S44	75	(bit$1 or byte$1) near4 insert$3 near4 instruction$1 near4 register$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/22 13:57

S45	396	(712/200).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/11 15:19
S46	153	(712/224).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/11 15:20
S47	290	(712/22).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/11 15:20
S48	304	(712/22).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 15:59
S49	408	(712/200).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 15:59
S50	155	(712/224).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 15:59
S51	6	load$3 near4 mask$3 near4 byt$3 near4 (position$3 or destination$1 or locat$4)	US-PGPUB; USPAT	OR	OFF	2006/10/25 16:48
S52	12	load$3 with (mask$3 near4 byt$3 near4 (position$3 or destination$1 or locat$4))	US-PGPUB; USPAT	OR	OFF	2006/10/25 16:59
S53	24	load$3 with mask$3 with (byt$3 near4 (position$3 or destination$1 or locat$4))	US-PGPUB; USPAT	OR	OFF	2006/10/26 11:05
S54	30	load$3 with mask$3 with (byt$3 with (position$3 or destination$1 or locat$4))	US-PGPUB; USPAT	OR	OFF	2006/10/26 11:08
S55	2	load$3 with mask$3 with byt$3 with (position$3 or destination$1 or locat$4) with shift$3	US-PGPUB; USPAT	OR	OFF	2006/10/26 11:15
S56	19	load$3 with mask$3 with byt$3 with shift$3	US-PGPUB; USPAT	OR	OFF	2006/10/27 13:57
S57	70	load$3 with mask$3 with (position$3 or destination$1 or locat$4) with shift$3	US-PGPUB; USPAT	OR	OFF	2006/10/27 13:56
S58	1	load$3 with mask$3 with (byte$1 near4 (position$3 or destination$1 or locat$4)) with shift$3	US-PGPUB; USPAT	OR	OFF	2006/10/26 11:16

S59	0	(Adiletta-M or Bernstein-D or Hooper-D or Wheeler-W or Gilbert-W).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/25 16:01
S60	17	(ADILETTA-MATTHEW).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/27 13:54
S61	86	(Bernstein-Debra).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/27 13:54
S62	7	(Hooper-Donald).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/27 13:54
S63	35	(Wheeler-William).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/27 13:55
S64	111	(Wolrich-Gilbert).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/27 13:55
S65	4	S61 and S62 and S63 and S64	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/27 13:55
S66	7	load$3 with mask$3 with (position$3 or destination$1 or locat$4) with shift$3	EPO; JPO; IBM_TDB	OR	OFF	2006/10/27 13:56
S67	68	load$3 same mask$3 same (position$3 or destination$1 or locat$4) same shift$3	EPO; JPO; IBM_TDB	OR	OFF	2006/10/27 13:56
S68	1	load$3 with mask$3 with byt$3 with shift$3	EPO; JPO; IBM_TDB	OR	OFF	2006/10/27 13:57
S69	20	load$3 same mask$3 same byt$3 same shift$3	EPO; JPO; IBM_TDB	OR	OFF	2006/10/27 13:57
S70	318	(712/22).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/03/20 15:59
S71	416	(712/200).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/03/20 15:59
S72	160	(712/224).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/03/20 15:59
S73	96	shift near4 mask$3 near4 location$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 16:12

EAST Search History

S74	0	shift near4 (operand$1 near4 mask$3 near4 location$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 16:12
S75	4	shift near4 (mask$3 near4 location$1 near4 result$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 16:12
S76	0	shift near4 (mask$3 near4 location$1 near4 byte$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 16:13
S77	0	shift with (mask$3 near4 location$1 near4 byte$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 16:13
S78	99	shift with (mask$3 near4 byte$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 16:13
S79	7	(shift near4 instruction$1) with (mask$3 near4 byte$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 16:16
S80	9	(shift$3) with (mask$3 near4 byte$1 near4 result$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 16:29
S81	4	(shift$3 near4 instruction$1) with (writ$3 near4 mask$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 16:30
S82	14	(shift$3 near4 instruction$1) with (byte$1 near4 mask$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 16:33
S83	4	("5555428" | "5621674" | "5680597" | "5682491").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/20 16:38
S84	12	("6052769").URPN.	USPAT	OR	OFF	2007/03/20 16:40
S85	5	(US-6223277-$ or US-5860085-$ or US-6438676-$ or US-5963744-$ or US-6052769-$).did.	USPAT	OR	OFF	2007/03/25 14:42
S86	1049	((Adiletta-M$) or (Bernstein-D$) or (Hooper-D$) or (Wheeler-W$) or (Gilbert-W$)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/25 16:02

S87	0	((Adiletta-M$) and (Bernstein-D$) and (Hooper-D$) and (Wheeler-W$) and (Gilbert-W$)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/25 16:03
S88	9	((Adiletta-M$) and (Bernstein-D$) and (Hooper-D$) and (Wheeler-W$) and (Wolrich-G$)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/25 16:03
S89	2	(("6668317") or ("7191309")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/25 20:00
S90	331	(712/22).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/08/30 11:40
S91	427	(712/200).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/08/30 11:40
S92	162	(712/224).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/08/30 11:45
S93	344	shift$3 near4 instruction$1 near4 operand$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/08/30 11:49
S94	62	shift$3 near4 instruction$1 near4 operand$1 near4 (count$3 or amount$3 or number$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/08/30 11:49
S95	31	shift$3 near4 instruction$1 near4 operand$1 near4 amount$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/08/30 11:49